UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,790,139 B2 Page 1 of 4

APPLICATION NO. : 10/565052

DATED : September 7, 2010

INVENTOR(S) : Kai Dolling and Andrea Brasch

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete the title page and substitute therefore the attached title page showing new drawing sheets added.

Attached are Figs. 1 and 2 of the PCT/DE2004/001545 which were previously missing.

Col. 1, 1. 35 should read "material" instead of "mistrial".

Col. 1, 1. 63 delete the word "is" after the word "invention".

Col. 3, 1. 56 should read "partially" instead of "psrtially".

Col. 4, ll. 59-60 should read "...slurrying was undergone stirring for 16 h at 50° C for further aging before drying" instead of "... slurrying was undergone before the 16 h drying at 50° C with stirring for further aging."

Col. 8, 1. 24 change the letter "O" instead of number "0" before the words "... and in relation to the..."

Signed and Sealed this First Day of March, 2011

David J. Kappos

Director of the United States Patent and Trademark Office

(12) United States Patent Dolling et al.

(10) Patent No.: US 7,790,139 B2 (45) Date of Patent: Sep. 7, 2010

(54)	METHOD FOR PRODUCING ALUMINUM
	TRIHYDRATES HAVING A HIGH PORE
	VOLUME, ALUMINUM TRIHYDRATES
	PRODUCED ACCORDING TO THIS METHOD
	AND THE USE THEREOF

- (75) Inventors: Kai Dolling, Munsterdorf (DE); Andrea Brasch, Meldorf (DE)
- (73) Assignce: Sasol Germany GmbH, Hamburg (DE)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 995 days.
- (21) Appl. No.: 10/565,052
- (22) PCT Filed: Jul. 16, 2004
- (86) PCT No.: PCT/DE2004/001545

§ 371 (c)(1), (2), (4) Date: Jul. 31, 2006

(87) PCT Pub. No.: WO2005/009904

PCT Pub. Date: Feb. 3, 2005

(65) Prior Publication Data

US 2006/0280676 A1 Dec. 14, 2006

- (51) Int. Ct. *C01F 7/02* (2006.01)
- (58) Field of Classification Search 423/625, 423/629, 628; 502/439 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,480,743 A 8/1949 Krantz, Jr. et al.

2,917,365	Α		12/1959	Gilbert et al.
3,944,658	Α	*	3/1976	Yoldas 423/626
4,117,106	Α	٠	9/1978	Bendig et al 423/630
5,455,019	Α		10/1995	lnoi et al.
5,573,582	A		11/1996	Inui et al.
5,928,127	A		7/1999	Талита
5,935,275	Λ		8/1999	Burgard et al.
6.027,706	A	sķ:	2/2000	Pinnavaia et al 423/600
6,030,599	A		2/2000	Noweck et al.

FOREIGN PATENT DOCUMENTS

DE	4344304	6/1994
DE	19522946	1/1996
EP	1193232 A1	3/2002
WO	WO9512547	5/1995
WO.	W/O 06/34820	3001/11

OTHER PUBLICATIONS

Chemical Abstract, vol. 114, No. 16, Apr. 22, 1991, Columbus, Ohio, US; Abstract No. 146327f Y. Ozaki et al. "Manufacture of Porous Spherical Alumina Particles", 3P 02 302315 A (Nichias Corp.) Dec. 14, 1990.

Database CA Online Chemical Abstracts Service, Columbus, Ohio, US, Violante, A. et al. "Influence of pH. Concentration, and Chelating Power of Organic Anions on the Synthesis of Aluminium Hydroxides and Oxyhydroxides" retrieved from STN Database Accession No. 94:18406 Abstract and Clays and Clay Minerals, 28(6), 425-34. Rompp Lexikon Online (www.roempp.com/thieme-chewistry/roempp/prod/roempp.php) (5 pages)-Jan. 15, 2004.

* cited by examiner

Primary Examiner Stuort Hendrickson Assistant Examiner—Richard M Rump

(57) ABSTRACT

The object of the invention is a method for the manufacture of aluminum trihydrates by hydrolysis of aluminum alcoholates in aqueous, alkaline solution with addition of organic compounds, the so manufactured aluminum trihydrates and their use as catalyst supports.


14 Claims, 2 Drawing Sheets

U.S. Patent

Sep. 7, 2010

Sheet 1 of 2

7,790,139 B2



U.S. Patent

Sep. 7, 2010

Sheet 2 of 2

7,790,139 B2

